

v(OHFWULFDO &KÄV


,WHP		Q	OD[
&ROOHFWRU(PLWWHU 9ROWD		,	
&ROOHFWRU%DVH 9ROWDJH			
(PLWWHU%DVH 9ROWDJH		,	
&ROOHFWRUEDVH &XWRII &X			9
%DVHHPLWWHU &XWRII &XUU			9
'& &XUUHQW *DLQ			
)(K	& \$ 9(9
			& \$ 9(9

&ROOHFWRU(PLWWHU 6DWXUDWL8 H&ZPLQ 0€~\$,4 Â'#





PBSS4230T


Collector-Emitter Saturation Voltage




Base-Emitter Saturation Voltage



Cob/Cib-Vcb/Veb




Collector Power Derating Curve






PBSS4230T

SOT23 Package Outline Dimensions



SOT23 Soldering Footprint





Disclaimer

V@^ î-[!{æcá[]]!^•^}c^â â) c@î• á[&~ {^}c î• -[! !^•^!^} &^ []|^É Yæ}* :@ [~ Yæ} *î^ Ò|^&c![]]î& V^&@} [[[*^ Ô[ÉÉ ŠcâÉ !^•^!ç^• c@^ î•*@c c [{æ\^ &Ö^•^• ,îc@[~c }[c î&^ -[! c@^ •]^&î-î&æcá[] [- c@^]! [â~&c• âî•]|æ^â @^!^î Tc [î {]! [ç^ !^î àî| c^~ } &î^î•*]T [!: [c@^î•^É

V@^]! [â~&c |î•c^â @^!^î} î• á^•î* }Ô^â c [à^ ~•^â ,îc@ [!âî}æ!^|^&c![]]î& ^~î {^}c [! áçî&^•é æ}â } [c á^•î* }É^â c [à^ ~•^â ç@ ^~î] {^}c [! áçî&^• , @Ôî&@ !^~î!^ @î* @|^ç^! [- !|^îæâî|îc^ æ} c@^ {æ!~ }&cá[] [- , îc@ , [~|^ âî!^&c|^ ^}âæ} *^! @~ {æ} |î-^ ç• ~&@ æ• {^âî&æ| î}•c!~ {^}c•É c!æ}•] [!cæcá[] ^~î] {^}c!^É &|^æ!|^æ&c![] æ^ [D•] [ç^!ç^•^É ~^! { }&cá] áçî&^•D T Yæ} *î^ [Tæ]^ [T [îc• à^& -É æ•• {^}ç!ç! [!|^îç!ç!]•ç! æ}^ áÉæ {æ*É^• !^•~|ç!} * -! [{ •~&@ î {]! []^+^ [- •æ|^É

V@î•] ~à|î&æcá[] •~]^!•^â^• !