





Schottky Diodes



Features

- " +LJK IUHTXHQF\ RSHUDWLRQ
- " +LJK SXULW\ KLJK WHPSHUDWXUH HSR[\ HQ
- HQKDQFHG PHFKDQDOPRWWXUWKUHVLVWD
- " *XDUG ULQJ IRU HQDVFEGUORJHGWHUP UH
- " 6ROGHU GLS f & PD[V SHU -(6' %

L



'HYLFH PDUNLQJ FRGH			0%5))&7
5HSHWLWLYH 3HDN 5HYHUVH 9R5W DJH 9			
\$YHUDJH 5HFWLILHG 2XWSXW &XUUHQW # \$ +]			
VLQH ZDYH 5 ORDG 7			
6XUJH 1RQ UHSHWLWLYH)RUZDUG &XUUHQW # +]KDOI VLQH ZDYH F\FOH 7)60			
&XUUHQW 6TXDUHG 7LPH # PV"W ,W PV 7M È			\$ V
6WRUDJH 7HPSHUDWXUH	7VWJ		a
-XQFWLRQ 7HPSHUDWXUH	7M		a

Electrical Characteristics Ä 7D 8QOHVV RWKHUÄLVH VSHFLILHG

PARAMETER	SYMBOL	UNIT	TEST CONDITIONS	MBR20F60FCT
-----------	--------	------	-----------------	-------------

0D[LPXP LQVWDQWDQHRXV IRUZDUG YROWDJH GURS SHU GD\$dpÄ 7D?~y•S y€0Ä Ä550 950 9550

--	--	--	--

D Zî&òì& dr írtñìõě,&



M'R F F#T-" -W 9 HF

Outline Dimensions



ITO-220AB		
'LP	0LQ	0D[
\$		
%		
&		
'		
(
)		
*		
+	7 < 3	
,	7 < 3	
-		
.		
/		
0		
1		
2	7 < 3	
3		
4		
5		
6	7 < 3	
7		
8		
9		

M' R F F#T-" -W 9 HF

<DQJ]KRX <DQJMLH (OHFWURQL